

Features

1. Vibration resistance - Fair resistance to vibration and pipe movement depending upon conditions.
2. Advantages - Fewer leaks in the system, Large range of sizes and configurations
3. Conformance - Meets functional requirements of the SAE J530(Automotive Pipe Fittings), SAE J531(Drain Plugs), ASA, ASME.
4. Thread Style - NPT(F), NPSM, BSPT, BSPP.



US Style Standard

Extruded Bar Stock, Hex Forging Blank
NPT Thread Mainly



European Style Standard

Extruded Bar Stock, Round Forging Blank
BSP Thread Mainly
Nickel-Plated


Specification

1. Temperature Range: -65°F to +250°F (-53°C to +121°C) range at maximum operating pressures.
2. Working Pressure: 1200 PSI Maximum based on size always consult tubing/pipe specifications.

Applications

Air, gas, hydraulic fluid like water, oil, fuels, lubricant, Grease and other applications which use with brass, copper, and iron pipe. Manufactured for low and medium pressure line connection work.

Installation Instructions



1. Tighten approximately 2-1/2 turns past hand tight.
2. Fittings with Everseal tighten two turns past hand tight. Brittle materials require special cautions.

Nomenclature

Model Number

68 - 06 02

Material

B-Brass (default)
S-Steel (suffix)
SS-Stainless Steel (suffix)
B-Barstock (Prefix)

Contact us for special size or configuration.

| Tube Dia | | Thread | | | |
|------------|----------|------------|-----------|------------|--------------|
| Mertric(M) | Inch | BSPT(R) | BSPP(G) | NPT(NPTF) | UNF(TUBE) |
| M04=4mm | 02=1/8" | M03=M3x0.5 | G02=G 1/8 | 02=NPT 1/8 | U02=DASH 1/8 |
| M06=6mm | 03=3/16" | M05=M5x0.8 | G04=G 1/4 | 04=NPT 1/4 | U04=DASH 1/4 |
| M08=8mm | 04=1/4" | R02=R 1/8 | G06=G 3/8 | 06=NPT 3/8 | U06=DASH 3/8 |
| M10=10mm | 05=5/16" | R04=R 1/4 | G08=G 1/2 | 08=NPT 1/2 | U08=DASH 1/2 |
| M12=12mm | 06=3/8" | R06=R 3/8 | | | |
| M14=14mm | 08=1/2" | R08=R 1/2 | Prefix | Default | Prefix |
| | | | Prefix | Prefix | Prefix |

catalogue only show inch size

Different type end has its own UNF thread, Please see thread chart for details or as below

| Pipe Size | 01 | 02 | 04 | 06 | 08 | 12 | 16 |
|------------------|---------|--------|--------|--------|--------|--------|--------|
| NPT(F) Thread | 1/16-27 | 1/8-27 | 1/4-18 | 3/8-18 | 1/2-14 | 3/4-14 | 1-11.5 |
| BSP Thread | - | 1/8-28 | 1/4-19 | 3/8-19 | 1/2-14 | 3/4-14 | 1-11 |
| Working Pressure | 1200 | 1200 | 1200 | 1200 | 1200 | 1000 | 1000 |

US Style Standard

3211


Pipe Locknut



| PART# | T |
|---------|-----|
| 3211-02 | 1/8 |
| 3211-04 | 1/4 |
| 3211-06 | 3/8 |
| 3211-08 | 1/2 |
| 3211-12 | 3/4 |

3150

Slotted Head Pipe Plug



| PART# | T |
|---------|-----|
| 3150-02 | 1/8 |
| 3150-04 | 1/4 |
| 3150-06 | 3/8 |

3152

Hex Head Pipe Plug



| PART# | T |
|---------|------|
| 3152-01 | 1/16 |
| 3152-02 | 1/8 |
| 3152-04 | 1/4 |
| 3152-06 | 3/8 |
| 3152-08 | 1/2 |
| 3152-12 | 3/4 |
| 3152-16 | 1 |

add "S" suffix as solid

3300

Pipe Coupling (SAE 130138)



| PART# | T | T |
|-----------|-----|-----|
| 3300-0202 | 1/8 | 1/8 |
| 3300-0402 | 1/4 | 1/8 |
| 3300-0404 | 1/4 | 1/4 |
| 3300-0602 | 3/8 | 1/8 |
| 3300-0604 | 3/8 | 1/4 |
| 3300-0606 | 3/8 | 3/8 |
| 3300-0802 | 1/2 | 1/8 |
| 3300-0804 | 1/2 | 1/4 |
| 3300-0806 | 1/2 | 3/8 |
| 3300-0808 | 1/2 | 1/2 |
| 3300-1206 | 3/4 | 3/8 |
| 3300-1208 | 3/4 | 1/2 |
| 3300-1212 | 3/4 | 3/4 |

3129


Female Pipe Cap



| PART# | T |
|---------|-----|
| 3129-02 | 1/8 |
| 3129-04 | 1/4 |
| 3129-06 | 3/8 |
| 3129-08 | 1/2 |
| 3129-12 | 3/4 |

3151

Square Head Pipe Plug



| PART# | T |
|---------|-----|
| 3151-02 | 1/8 |
| 3151-04 | 1/4 |
| 3151-06 | 3/8 |
| 3151-08 | 1/2 |
| 3151-12 | 3/4 |
| 3151-16 | 1 |

3162

Hex Socket Pipe Plug



| PART# | T |
|---------|------|
| 3162-01 | 1/16 |
| 3162-02 | 1/8 |
| 3162-04 | 1/4 |
| 3162-06 | 3/8 |
| 3162-08 | 1/2 |
| 3162-12 | 3/4 |
| 3162-16 | 1 |

3325

Hex Pipe Nipple (SAE 130137)



| PART# | T | T |
|-----------|-----|-----|
| 3325-0202 | 1/8 | 1/8 |
| 3325-0402 | 1/4 | 1/8 |
| 3325-0404 | 1/4 | 1/4 |
| 3325-0602 | 3/8 | 1/8 |
| 3325-0604 | 3/8 | 1/4 |
| 3325-0606 | 3/8 | 3/8 |
| 3325-0804 | 1/2 | 1/4 |
| 3325-0806 | 1/2 | 3/8 |
| 3325-0808 | 1/2 | 1/2 |
| 3325-1208 | 3/4 | 1/2 |
| 3325-1212 | 3/4 | 3/4 |
| 3325-1616 | 1 | 1 |

3220

Reducer Bushing (SAE 130140)



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| 3220-0402 | 1/4 | 1/8 |
| 3220-0602 | 3/8 | 1/8 |
| 3220-0604 | 3/8 | 1/4 |
| 3220-0802 | 1/2 | 1/8 |
| 3220-0804 | 1/2 | 1/4 |
| 3220-0806 | 1/2 | 3/8 |
| 3220-1202 | 3/4 | 1/8 |
| 3220-1204 | 3/4 | 1/4 |
| 3220-1206 | 3/4 | 3/8 |
| 3220-1208 | 3/4 | 1/2 |
| 3220-1604 | 1 | 1/4 |
| 3220-1606 | 1 | 3/8 |
| 3220-1608 | 1 | 1/2 |
| 3220-1612 | 1 | 3/4 |

3220H

Reducer Face Bushing



| PART# | T _M | T _F |
|------------|----------------|----------------|
| 3220H-0604 | 3/8 | 1/4 |
| 3220H-0806 | 1/2 | 3/8 |
| 3220H-1208 | 3/4 | 1/2 |

3200

Extender Adapter (SAE 130139)



| PART# | T _F | T _M |
|-----------|----------------|----------------|
| 3200-0202 | 1/8 | 1/8 |
| 3200-0402 | 1/4 | 1/8 |
| 3200-0404 | 1/4 | 1/4 |
| 3200-0602 | 3/8 | 1/8 |
| 3200-0604 | 3/8 | 1/4 |
| 3200-0606 | 3/8 | 3/8 |
| 3200-0804 | 1/2 | 1/4 |
| 3200-0806 | 1/2 | 3/8 |
| 3200-0808 | 1/2 | 1/2 |
| 3200-1206 | 3/4 | 3/8 |
| 3200-1208 | 3/4 | 1/2 |
| 3200-1212 | 3/4 | 3/4 |

3250

Female Pipe Union



| PART# | T | T |
|-----------|-----|-----|
| 3250-0202 | 1/8 | 1/8 |
| 3250-0404 | 1/4 | 1/4 |
| 3250-0606 | 3/8 | 3/8 |
| 3250-0808 | 1/2 | 1/2 |
| 3250-1212 | 3/4 | 3/4 |

3326

Close Nipple



| PART# | T | T |
|---------|-----|-----|
| 3326-02 | 1/8 | 1/8 |
| 3326-04 | 1/4 | 1/4 |
| 3326-06 | 3/8 | 3/8 |
| 3326-08 | 1/2 | 1/2 |
| 3326-12 | 3/4 | 3/4 |

US Style Standard

3327

Long Nipple



| PART# | T | L |
|-------------|-----|------|
| 3327-02-1.5 | 1/8 | 1.50 |
| 3327-02-2.0 | 1/8 | 2.00 |
| 3327-02-2.5 | 1/8 | 2.50 |
| 3327-02-3.0 | 1/8 | 3.00 |
| 3327-04-1.5 | 1/4 | 1.50 |
| 3327-04-2.0 | 1/4 | 2.00 |
| 3327-04-2.5 | 1/4 | 2.50 |
| 3327-04-3.0 | 1/4 | 3.00 |
| 3327-06-1.5 | 3/8 | 1.50 |
| 3327-06-2.0 | 3/8 | 2.00 |
| 3327-06-2.5 | 3/8 | 2.50 |
| 3327-06-3.0 | 3/8 | 3.00 |
| 3327-08-1.5 | 1/2 | 1.50 |
| 3327-08-2.0 | 1/2 | 2.00 |
| 3327-08-2.5 | 1/2 | 2.50 |
| 3327-08-3.0 | 1/2 | 3.00 |

3350 & 3351


Street 45° Elbow (SAE 130339)



| PART# | T | T |
|-----------|-----|-----|
| 3350-0202 | 1/8 | 1/8 |
| 3351-0202 | 1/8 | 1/8 |
| 3350-0404 | 1/4 | 1/4 |
| 3351-0404 | 1/4 | 1/4 |
| 3350-0606 | 3/8 | 3/8 |
| 3351-0606 | 3/8 | 3/8 |
| 3350-0808 | 1/2 | 1/2 |
| 3350-1212 | 3/4 | 3/4 |

3400 & 3401

Street Elbow (SAE 130239)



| PART# | T | T |
|-----------|-----|-----|
| 3400-0202 | 1/8 | 1/8 |
| 3401-0202 | 1/8 | 1/8 |
| 3400-0404 | 1/4 | 1/4 |
| 3401-0404 | 1/4 | 1/4 |
| 3400-0606 | 3/8 | 3/8 |
| 3401-0606 | 3/8 | 3/8 |
| 3400-0808 | 1/2 | 1/2 |
| 3401-0808 | 1/2 | 1/2 |
| 3400-1212 | 3/4 | 3/4 |
| 3401-1212 | 3/4 | 3/4 |

3402

Forged Street Elbow



| PART# | T _F | T _M |
|-----------|----------------|----------------|
| 3402-0202 | 1/8 | 1/8 |
| 3402-0204 | 1/8 | 1/4 |
| 3402-0402 | 1/4 | 1/8 |
| 3402-0404 | 1/4 | 1/4 |
| 3402-0406 | 1/4 | 3/8 |
| 3402-0604 | 3/8 | 1/4 |
| 3402-0606 | 3/8 | 3/8 |
| 3402-0608 | 3/8 | 1/2 |
| 3402-0806 | 1/2 | 3/8 |
| 3402-0808 | 1/2 | 1/2 |
| 3402-1212 | 3/4 | 3/4 |

3455


Male Pipe Elbow



| PART# | T | T |
|-----------|-----|-----|
| 3455-0202 | 1/8 | 1/8 |
| 3455-0402 | 1/4 | 1/8 |
| 3455-0404 | 1/4 | 1/4 |
| 3455-0604 | 3/8 | 1/4 |
| 3455-0606 | 3/8 | 3/8 |
| 3455-0806 | 1/2 | 3/8 |
| 3455-0808 | 1/2 | 1/2 |

3500 & 3501


Female Pipe Elbow (SAE 130238)



| PART# | T | T |
|-----------|-----|-----|
| 3500-0202 | 1/8 | 1/8 |
| 3501-0202 | 1/8 | 1/8 |
| 3501-0402 | 1/4 | 1/8 |
| 3500-0404 | 1/4 | 1/4 |
| 3501-0404 | 1/4 | 1/4 |
| 3501-0604 | 3/8 | 1/4 |
| 3500-0606 | 3/8 | 3/8 |
| 3501-0606 | 3/8 | 3/8 |
| 3501-0806 | 1/2 | 3/8 |
| 3500-0808 | 1/2 | 1/2 |
| 3501-0808 | 1/2 | 1/2 |
| 3500-1212 | 3/4 | 3/4 |
| 3501-1212 | 3/4 | 3/4 |

3600 & 3601


Male Pipe Branch Tee (SAE 130425)



| PART# | T | T | T |
|-------------|-----|-----|-----|
| 3600-020202 | 1/8 | 1/8 | 1/8 |
| 3601-020202 | 1/8 | 1/8 | 1/8 |
| 3600-040404 | 1/4 | 1/4 | 1/4 |
| 3601-040404 | 1/4 | 1/4 | 1/4 |
| 3600-060606 | 3/8 | 3/8 | 3/8 |
| 3600-080808 | 1/2 | 1/2 | 1/2 |
| 3600-121212 | 3/4 | 3/4 | 3/4 |

3700 & 3701


Female Pipe Tee (SAE 130438)



| PART# | T ₁ | T ₂ | T ₃ |
|-------------|----------------|----------------|----------------|
| 3700-020202 | 1/8 | 1/8 | 1/8 |
| 3701-020202 | 1/8 | 1/8 | 1/8 |
| 3701-020204 | 1/8 | 1/8 | 1/4 |
| 3701-040402 | 1/4 | 1/4 | 1/8 |
| 3700-040404 | 1/4 | 1/4 | 1/4 |
| 3701-040404 | 1/4 | 1/4 | 1/4 |
| 3701-040406 | 1/4 | 1/4 | 3/8 |
| 3701-060602 | 3/8 | 3/8 | 1/8 |
| 3701-060406 | 3/8 | 1/4 | 3/8 |
| 3701-060604 | 3/8 | 3/8 | 1/4 |
| 3700-060606 | 3/8 | 3/8 | 3/8 |
| 3701-060606 | 3/8 | 3/8 | 3/8 |
| 3701-080806 | 1/2 | 1/2 | 3/8 |
| 3700-080808 | 1/2 | 1/2 | 1/2 |
| 3701-080808 | 1/2 | 1/2 | 1/2 |
| 3701-120812 | 3/4 | 1/2 | 3/4 |
| 3701-121208 | 3/4 | 3/4 | 1/2 |
| 3700-121212 | 3/4 | 3/4 | 3/4 |
| 3701-121212 | 3/4 | 3/4 | 3/4 |

3550

Female Pipe 45° Elbow



| PART# | T | T |
|-----------|-----|-----|
| 3550-0202 | 1/8 | 1/8 |
| 3550-0404 | 1/4 | 1/4 |
| 3550-0606 | 3/8 | 3/8 |
| 3550-0808 | 1/2 | 1/2 |

3655


Male Pipe Tee



| PART# | T _{1,2,3} |
|-------------|--------------------|
| 3655-020202 | 1/8 |
| 3655-040404 | 1/4 |
| 3655-060606 | 3/8 |
| 3655-080808 | 1/2 |
| 3655-121212 | 3/4 |

3950 & 3951


Female Pipe Cross



| PART# | T _{1,2,3,4} |
|---------|----------------------|
| 3950-02 | 1/8 |
| 3951-02 | 1/8 |
| 3950-04 | 1/4 |
| 3951-04 | 1/4 |
| 3950-06 | 3/8 |
| 3951-06 | 3/8 |
| 3950-08 | 1/2 |
| 3951-08 | 1/2 |
| 3950-12 | 3/4 |

3750 & 3751

Street Tee (SAE 130424)



| PART# | T _{1,2,3} |
|-------------|--------------------|
| 3750-020202 | 1/8 |
| 3751-020202 | 1/8 |
| 3750-040404 | 1/4 |
| 3751-040404 | 1/4 |
| 3750-060606 | 3/8 |
| 3751-060606 | 3/8 |
| 3750-080808 | 1/2 |
| 3751-080808 | 1/2 |
| 3750-121212 | 3/4 |
| 3751-121212 | 3/4 |

European Style Standard (Nickel Plated)

E129

Female Pipe Cap



| PART# | T |
|---------|------|
| E162-02 | G1/8 |
| E162-04 | G1/4 |
| E162-06 | G3/8 |
| E162-08 | G1/2 |

E152

Hex Head Pipe Plug



| PART# | T |
|---------|------|
| E152-M5 | M5 |
| E152-02 | R1/8 |
| E152-04 | R1/4 |
| E152-06 | R3/8 |
| E152-08 | R1/2 |
| E152-12 | R3/4 |

add "S" suffix as solid

E163

Countersunk Plug + Oring



| PART# | T |
|---------|------|
| E163-M5 | M5 |
| E163-02 | G1/8 |
| E163-04 | G1/4 |
| E163-06 | G3/8 |
| E163-08 | G1/2 |

E162

Countersunk Hex Plug



| PART# | T |
|---------|------|
| E162-M5 | R1/8 |
| E162-02 | R1/4 |
| E162-04 | R3/8 |
| E162-06 | R1/2 |

E200

Extender Adapter



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E200-0202 | R1/8 | G1/8 |
| E200-0204 | R1/8 | G1/4 |
| E200-0206 | R1/8 | G3/8 |
| E200-0404 | R1/4 | G1/4 |
| E200-0406 | R1/4 | G3/8 |
| E200-0408 | R1/4 | G1/2 |
| E200-0606 | R3/8 | G3/8 |
| E200-0608 | R3/8 | G1/2 |
| E200-0808 | R1/2 | G1/2 |

E210

Extender Adapter



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E210-M502 | M5 | G1/8 |
| E210-0202 | G1/8 | G1/8 |
| E210-0204 | G1/8 | G1/4 |
| E210-0206 | G1/8 | G3/8 |
| E210-0404 | G1/4 | G1/4 |
| E210-0406 | G1/4 | G3/8 |
| E210-0408 | G1/4 | G1/2 |
| E210-0606 | G3/8 | G3/8 |
| E210-0608 | G3/8 | G1/2 |
| E210-0808 | G1/2 | G1/2 |

E220

Reducer Bushing



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E220-0202 | R1/4 | G1/8 |
| E220-0602 | R3/8 | G1/8 |
| E220-0802 | R1/2 | G1/8 |
| E220-0604 | R3/8 | G1/4 |
| E220-0804 | R1/2 | G1/4 |
| E220-0806 | R1/2 | G3/8 |
| E220-1208 | R3/4 | G1/2 |

E230

Reducer Bushing



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E230-02M5 | G1/8 | M5 |
| E230-0402 | G1/4 | G1/8 |
| E230-0602 | G3/8 | G1/8 |
| E230-0604 | G3/8 | G1/4 |
| E230-0802 | G1/2 | G1/8 |
| E230-0804 | G1/2 | G1/4 |
| E230-0806 | G1/2 | G3/8 |

E300

Pipe Coupling



| PART# | T | T |
|-----------|------|------|
| E300-M5M5 | M5 | M5 |
| E300-M502 | M5 | G1/8 |
| E300-0202 | G1/8 | G1/8 |
| E300-0204 | G1/8 | G1/4 |
| E300-0206 | G1/8 | G3/8 |
| E300-0208 | G1/8 | G1/2 |
| E300-0404 | G1/4 | G1/4 |
| E300-0406 | G1/4 | G3/8 |
| E300-0408 | G1/4 | G1/2 |
| E300-0606 | G3/8 | G3/8 |
| E300-0608 | G3/8 | G1/2 |
| E300-0808 | G1/2 | G1/2 |
| E300-0812 | R1/2 | R3/4 |
| E300-1212 | R3/4 | R3/4 |

E325

Hex Pipe Nipple



| PART# | T | T |
|-----------|------|------|
| E325-0202 | R1/8 | R1/8 |
| E325-0204 | R1/8 | R1/4 |
| E325-0206 | R1/8 | R3/8 |
| E325-0404 | R1/4 | R1/4 |
| E325-0406 | R1/4 | R3/8 |
| E325-0408 | R1/4 | R1/2 |
| E325-0606 | R3/8 | R3/8 |
| E325-0608 | R3/8 | R1/2 |
| E325-0808 | R1/2 | R1/2 |
| E325-0812 | R1/2 | R3/4 |
| E325-1212 | R3/4 | R3/4 |
| E325-1216 | R3/4 | R1 |
| E325-1616 | R1 | R1 |

E335

Hex Pipe Nipple



| PART# | T | T |
|-----------|------|------|
| E335-M5M5 | M5 | M5 |
| E335-M502 | M5 | G1/8 |
| E335-0202 | G1/8 | G1/8 |
| E335-0204 | G1/8 | G1/4 |
| E335-0206 | G1/8 | G3/8 |
| E335-0404 | G1/4 | G1/4 |
| E335-0406 | G1/4 | G3/8 |
| E335-0408 | G1/4 | G1/2 |
| E335-0606 | G3/8 | G3/8 |
| E335-0608 | G3/8 | G1/2 |
| E335-0808 | G1/2 | G1/2 |
| E335-0812 | G1/2 | G3/4 |
| E335-1212 | G3/4 | G3/4 |

E360

Female Bulkhead



| PART# | T _F | T _B |
|---------|----------------|----------------|
| E360-02 | G1/8 | M16x1.5 |
| E360-04 | G1/4 | M20x1.5 |
| E360-06 | G3/8 | M26x1.5 |
| E360-08 | G1/2 | M28x1.5 |

E400

Street Elbow



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E400-0202 | R1/8 | G1/8 |
| E400-0404 | R1/4 | G1/4 |
| E400-0606 | R3/8 | G3/8 |
| E400-0808 | R1/2 | G1/2 |
| E400-1212 | R3/4 | G3/4 |

European Style Standard (Nickel Plated)

E455

Male Pipe Elbow



| PART# | T |
|-----------|------|
| E455-0202 | R1/8 |
| E455-0404 | R1/4 |
| E455-0606 | R3/8 |
| E455-0808 | R1/2 |
| E455-1212 | R3/4 |

E500

Female Pipe Elbow



| PART# | T |
|-----------|------|
| E500-0202 | G1/8 |
| E500-0404 | G1/4 |
| E500-0606 | G3/8 |
| E500-0808 | G1/2 |
| E500-1212 | G3/4 |

E600

Male Pipe Branch Tee



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E600-0202 | R1/8 | G1/8 |
| E600-0404 | R1/4 | G1/4 |
| E600-0606 | R3/8 | G3/8 |
| E600-0808 | R1/2 | G1/2 |
| E600-1212 | R3/4 | G3/4 |

E650

Female Pipe Branch Tee



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E650-0202 | R1/8 | G1/8 |
| E650-0404 | R1/4 | G1/4 |
| E650-0606 | R3/8 | G3/8 |
| E650-0808 | R1/2 | G1/2 |
| E650-1212 | R3/4 | G3/4 |

E700

Female Pipe Tee



| PART# | T |
|-----------|------|
| E700-0202 | G1/8 |
| E700-0404 | G1/4 |
| E700-0606 | G3/8 |
| E700-0808 | G1/2 |
| E700-1212 | G3/4 |

E750

Street Tee



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E750-0202 | R1/8 | G1/8 |
| E750-0404 | R1/4 | G1/4 |
| E750-0606 | R3/8 | G3/8 |
| E750-0808 | R1/2 | G1/2 |
| E750-1212 | R3/4 | G3/4 |

E770

Female Street Tee



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E770-0202 | R1/8 | G1/8 |
| E770-0404 | R1/4 | G1/4 |
| E770-0606 | R3/8 | G3/8 |
| E770-0808 | R1/2 | G1/2 |
| E770-1212 | R3/4 | G3/4 |

E800

Male Y Connector



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E800-0202 | R1/8 | G1/8 |
| E800-0404 | R1/4 | G1/4 |
| E800-0606 | R3/8 | G3/8 |
| E800-0808 | R1/2 | G1/2 |
| E800-1212 | R3/4 | G3/4 |

E850

Female Y Connector



| PART# | T |
|-----------|------|
| E850-0202 | G1/8 |
| E850-0404 | G1/4 |
| E850-0606 | G3/8 |
| E850-0808 | G1/2 |
| E850-1212 | G3/4 |

E900

Male Pipe Tee



| PART# | T |
|-----------|------|
| E900-0202 | R1/8 |
| E900-0404 | R1/4 |
| E900-0606 | R3/8 |
| E900-0808 | R1/2 |
| E900-1212 | R3/4 |

E920

One Male Cross



| PART# | T _M | T _F |
|-----------|----------------|----------------|
| E920-0202 | R1/8 | G1/8 |
| E920-0404 | R1/4 | G1/4 |
| E920-0606 | R3/8 | G3/8 |
| E920-0808 | R1/2 | G1/2 |
| E920-1212 | R3/4 | G3/4 |

E950

Female Cross



| PART# | T |
|-----------|------|
| E950-0202 | G1/8 |
| E950-0404 | G1/4 |
| E950-0606 | G3/8 |
| E950-0808 | G1/2 |
| E950-1212 | G3/4 |

Catalogue shows general thread -
 Male thread - R(BSPT) thread mainly. G(BSPP) is available.
 Female thread - G(BSPP) thread mainly. Rc(Female BSPT) is available.
 Add R,G,RC as prefix of Dash number when special order.

Contact us for special parts out of catalogue chart